



NUMALIGARH REFINERY LIMITED
(Technical Recommendation)
(Technical Recommendation for Service)

Date: 31.03.2018

Sub: Outsourcing of Service for Operation of Occupation Health Centre, Siliguri Marketing Terminal

PR No (S): 10066984

RFQ No.: OC13000150/ABH

Proprietary (P) /Non Proprietary (NP): Non Proprietary

Nos of Bidders: Six (06) Nos.

Sl. No.	Name of Bidder	Description of reference Work Order considered for evaluation	Pre- Qualification Criteria as per Tender and Compliance		Deployment of resources as per tender requirement		Compliance of Special Condition of Contract/ Other requirement as per tender.	Technically acceptability of Offer (Yes/ No)	Reason for rejection*
			Criteria	Compliance	Manpower (Yes/No/NA)	Equipment (Yes/No/NA)			
1	M/s Manish Ray & Co.	PO no. 4300032714/DIN/05.07.2013 issued by Numaligarh Refinery Ltd. Job Name: -Up-keepment & Maintenance of Electrical Equipment at Siliguri Marketing terminal Work order copy Not Submitted. Completion certificate dated 24.07.2017 submitted. Trade License submitted.	Experienced in outsourced services of Health Centre/First Aid Services/Medical Centre and similar Medical/Health Care Services /Emergency Services involving Manpower. Past Experience of having successfully completed similar works during last 10 years ending last month should be either of the following: One similar work costing not less than = Rs. 18.26 L	No.	Yes	-	Signed copy of tender document submitted.	No.	Work order is not relevant with Similar Work.
2	M/s Golden Life	PO no. 4300026248-DIN/01.12.2011 issued by Numaligarh Refinery Ltd. Job Name: - Upkeepment jobs and Maintenance of First Aid Centre at SMT. Work order copy submitted. Completion Certificate not submitted. However, letter dated 09.01.2018 submitted stating completion of the job under PO No. 4300026248. Executed value as per record = Rs. 27.50 Lacs. Trade License submitted.	Two similar works costing not less than= Rs.14.61 L each and Three similar works costing not less than=Rs.10.96 L each. Work order copies and Completion certificates shall be submitted as proof of work experience. In order to have day to day monitoring and managaing the work, perform statutory	Yes	Yes	-	Signed copy of tender document submitted.	Yes	-

[Handwritten signatures]



NUMALIGARH REFINERY LIMITED
(Technical Recommendation)
(Technical Recommendation for Service)

Date: 31.03.2018

Sub: Outsourcing of Service for Operation of Occupation Health Centre, Siliguri Marketing Terminal

PR No (S):10066984

RFQ No.: OC13000150/ABH

Proprietary (P) /Non Proprietary (NP): Non Proprietary

Nos of Bidders: Six (06) Nos.

Sl. No.	Name of Bidder	Description of reference Work Order considered for evaluation	Pre- Qualification Criteria as per Tender and Compliance		Deployment of resources as per tender requirement		Compliance of Special Condition of Contract/ Other requirement as per tender.	Technically acceptability of Offer (Yes/ No)	Reason for rejection*
			Criteria	Compliance	Manpower (Yes/No/NA)	Equipment (Yes/No/NA)			
3	M/s Riya Nursery	PO no. B&R/PCD/40061/LCT-61/WO/1349 dated 22.09.2012 issued by Brudge & Roof Co. (India) Ltd. Job Name:- Providing Security(s) for new additional tanks construction project at NRL,Siliguri Marketing Terminal,Rangapani,Darjeeling,W.B. Work Order copy submitted & Completion certificate dated 14.08.2013 submitted. Trade License submitted.	formalities like PF, Labour License, ESI/Insurance, managing their workers and to deal with situation of emergency due to strike/bandh, dharna etc, timely payment of wages and arrears; mainting various registers as per the formats of respective departments and to produce the same during the visit of the officials for routine checking; the bidder shall meet the following conditions:	No.	Yes	-	Signed copy of tender document submitted.	No.	Work order is not relevant with Similar Works.
4	M/s Samar Paul	PO no.4300033833.DIN/31.10.2013 issued by Numaligarh Refinery Ltd. Job Name:- AMC of Fire & Safety Equipment and Effluent Treatment Plant at SMT. Work order copy submitted. Completion Certificate not submitted. However, letter dated 08.01.2018 submitted stating completion of the job under PO No. 43000233833. Trade License submitted.	"The bidder should have an existing registered or branch office in Darjeeling or Jalpaiguri district with working office set up on the date of submission of bid. Trade license will be considered as a proof of the registered or branch office and will be subject to verification if required. PF & ESI registration compliance."	No	Yes	-	Signed copy of tender document submitted.	No.	Work order is not relevant with Similar Works.

[Handwritten signatures]



NUMALIGARH REFINERY LIMITED
(Technical Recommendation)
(Technical Recommendation for Service)

Date: 31.03.2018

Sub: Outsourcing of Service for Operation of Occupation Health Centre, Siliguri Marketing Terminal

PR No (S):10066984

RFQ No.: OC13000150/ABH

Proprietary (P) /Non Proprietary (NP): **Non Proprietary**

Nos of Bidders: Six (06) Nos.

Sl. No.	Name of Bidder	Description of reference Work Order considered for evaluation	Pre- Qualification Criteria as per Tender and Compliance		Deployment of resources as per tender requirement		Compliance of Special Condition of Contract/ Other requirement as per tender.	Technically acceptability of Offer (Yes/ No)	Reason for rejection*
			Criteria	Compliance	Manpower (Yes/No/NA)	Equipment (Yes/No/NA)			
5	M/s Super security service	WONo.:55/201516/CRU(H)/Siliguri/NPCDCS/443 issued by Clinical Reasearch unit for Homeopathy, Dept of AYUSH, Ministry of Health of family welfare, Siliguri Job name: To engage data entry operator, Lab technician and multi task worker at Clinical research unit (H) for homeopathy,Ministry of Ayush,Govt. of india Work Order Copy Submitted. Completion certificate not submitted. Trade License submitted.		No	Yes	-	Signed copy of tender document submitted.	No.	Completion certificate not submitted.
6	M/s Techno Resources	PO no. 430008906-UDA dated 05.09.2007 issued by Numaligarh Refinery Ltd. Job Name:- Annual rate contract for machining,facbrication, welding & Heat Exchanger re-tubing. Work Order Copy Submitted. Completion Certificate dated 06.02.2012. Trade License submitted.		No	Yes	-	Signed copy of tender document submitted.	No	Work order is not relevant with Similar Works.

*Reasons of technical rejection to be cleary indicated. Separate sheet, if required, to be enclosed.

Special Note to Commercial (if any):

All the participating qualified bidders have been brought at par in technical specifications as per indent:

Indentor (S) (Signature, name, designation):

Recommended by (Signature, name, designation):

R. Mahanta
M (SMT)

A.R. Singh
M (SMT)

B. Barman
SM (SMT)

Approved as per DOA clause 9:

1) DGM (SMT)

2) GM (Ops)