

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	06-08-2025 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	06-08-2025 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Petroleum And Natural Gas
विभाग का नाम/Department Name	Numaligarh Refinery Limited
संगठन का नाम/Organisation Name	Numaligarh Refinery Limited
कार्यालय का नाम/Office Name	Numaligarh Refinery Limited
कुल मात्रा/Total Quantity	1025
वस्तु श्रेणी /Item Category	Traffic Cone (Q3) , ROAD BARRIER (Q3) , Light Baton (Q3) , Convex Mirror (Road Safety) (Q3) , Caution / Crime Scene Tape (V2) (Q4) , Extendable Road Barricade (V2) (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	3

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	ROAD BARRIER
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

सक्षम प्राधिकारी का नाम/Name of Competent Authority	MoPNG
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	MoPNG

सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	MoPNG
सीए अनुमोदन संख्या/CA Approval Number	FP-20013/2/2017-FP-PNG-Part(4)(E-41432)
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	26-04-2022
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	Below 1 Cr Procurement, PPLC policy is not applicable as per attached circular.

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Traffic Cone	70
Schedule 2	Traffic Cone	50
Schedule 3	Road Barrier	40
Schedule 4	Light Baton	35

Schedule 5	Convex Mirror (road Safety)	20
Schedule 6	Caution / Crime Scene Tape (v2)	400
Schedule 7	Caution / Crime Scene Tape (v2)	400
Schedule 8	Extendable Road Barricade (v2)	10

Traffic Cone (70 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERAL	Item	Conical Traffic Cone
	Type of Traffic cone	Movable Parking cone, Fixed Parking cone
SHAPE,DESIGN,COLOR	Shape Of Traffic cone	Conical
	Shape of base	Square, Rectangular, Round
	Traffic Cone with Rubber Base	Yes, No
MATERIAL	Material of Traffic Cone	HDPE, Polyurethane, Polypropylene
Dimension	Bottom Diameter of Traffic cone (mm)	150, 175, 200
	Height of Traffic cone (mm)	750, 800, 850, 900, 950, 1000
	Length of Traffic Cone base (mm)	150, 175, 200, 225, 250, 275, 300, NA
	Width of Traffic Cone base (mm)	150, 175, 200, 225, 250, 275, 300, NA
	Width of Reflective Tape (mm)	150, 175, 200, 225, 250, 275, 300, NA
	Minimum Wall Thickness of Traffic Cone at any point (mm)	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0

Additional Specification Parameters - Traffic Cone (70 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Nestable Heavy Duty Traffic cone Hexagonal base cone height	775 MM (Approx.)
Base	Hexagonal inscribed in 450mm $\varnothing$ circle each side 220mm (approx.)

Specification Parameter Name	Bid Requirement (Allowed Values)
Cone Color	Red/orange
Reflective Band & others	250mm White high intensity micro prismatic Made of UV Resistant Polymer with thermal stability, with 2 strips of Retro reflective sheets, high intensity micro prismatic type-VI tape (As per ASTM D 4956-09) / microprismatic PVC tape (EN-471) for excellent Night visibility and should be easily portable
Keyhole	with a keyhole type hole provided at top conical portion

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dibakar Barhoi	785699,Numaligarh Refinery Limited, Chief General Manager (Commercial) PO-NRP, Numaligarh Warehouse office 03776-265562	70	75

Traffic Cone (50 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERAL	Item	Conical Traffic Cone
	Type of Traffic cone	Movable Parking cone, Fixed Parking cone
SHAPE,DESIGN,COLOR	Shape Of Traffic cone	Conical
	Shape of base	Square, Rectangular, Round
	Traffic Cone with Rubber Base	Yes, No
MATERIAL	Material of Traffic Cone	HDPE, Polyurethane, Polypropylene
Dimension	Bottom Diameter of Traffic cone (mm)	150, 175, 200
	Height of Traffic cone (mm)	750, 800, 850, 900, 950, 1000
	Length of Traffic Cone base (mm)	150, 175, 200, 225, 250, 275, 300, NA
	Width of Traffic Cone base (mm)	150, 175, 200, 225, 250, 275, 300, NA
	Width of Reflective Tape (mm)	150, 175, 200, 225, 250, 275, 300, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum Wall Thickness of Traffic Cone at any point (mm)	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0

Additional Specification Parameters - Traffic Cone (50 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Sponsor Cone Height	875 mm Approx
Base	Hexagonal inscribed in 450 mm $\varnothing$ circle, each side 220 mm Approx
Cone Color	Yellow/Red/Fluorescent
Reflective band	160mm high intensity micro prismatic white colour
Sponsor Area	Top message area of 400x200 mm. The message area shall be provided by tenderer with the help of high intensity micro prismatic type-IV tape (As per IRC 67/2010), as desired by the purchases during supply. Made of UV Resistant Polymer with thermal stability, with Retro reflective, high intensity micro prismatic type-VI tape (As per ASTM D 4956-09) / microprismatic PVC tape (EN-471) for excellent Night visibility and should be easily portable.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dibakar Barhoi	785699,Numaligarh Refinery Limited, Chief General Manager (Commercial) PO-NRP, Numaligarh Warehouse office 03776-265562	50	75

ROAD BARRIER (40 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SHAPE,DESIGN,COLOR	Shape of Barrier	Trapezium, L-shape, Jersey shape, F-Shape, Constant Slope, Others
	Shape of base	Rectangular, Square

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Reflective Tape on the Barrier in the middle for day/night highly visibility	Yes, No
BUYER REQUIREMENT	Marking / Reflective Tape as per buyer requirement	Yes, No
MATERIAL	Material of Barrier	HDPE, Polypropylene, LLDPE
DIMENSION	Height of barrier (mm)	500, 550, 600, 65, 700, 750, 800, 850, 900, 950, 1000, 650
	Overall Length of barrier (mm)	300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000, 1050, 1100, 1150, 1200, 1250, 1300, 1350, 1400, 1450, 1500, NA
	Overall Width of barrier (mm)	300, 350, 400, 450, 500, NA
	Minimum wall thickness at any point (mm)	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0
	Width of reflective Tape (mm)	75, 100, 125, 150, 175, 200, 225, 250, 275, 300, NA
	Top Length (mm)	200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400
	Top Width (mm)	200, 300, 400
	Average wall Thickness (mm)	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10
	Inside volume of barrier(in Litre)	50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 125, 150, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000, NA

Additional Specification Parameters - ROAD BARRIER (40 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Crash Barrier	Made up of High Impact resistant, UV stabilized PE polymers, modular design to form desired length using inter locking system (Water/sand fillable)
Dimensions	Length- Apx. 1500mm, Width- Apx. 400 mm, Height- Apx. 1000 mm
Reflective Tape	70 mm Reflective tape shall be provided on facing side for distant visibility during night

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dibakar Barhoi	785699,Numaligarh Refinery Limited, Chief General Manager (Commercial) PO-NRP, Numaligarh Warehouse office 03776-265562	40	75

Light Baton (35 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Constructional parameters	Diameter of search light (mm)	15, 20, 25.4, 25, 30, 35, 38.1, 40, 45, 50, 50.8 Or higher (millimeter)
	Handle Length (Inch)	3, 4, 5, 6, 7, 8, 9, 10, 12, 15 Or higher (inch)
	Handle material	ABS Plastic, Polycarbonate, Rubber
	Pipe material	PVC, ABS, Ceramic
	Light Area Length (Inch)	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 24 Or higher (inch)
Generic	Minimum Battery Backup(fully charged)	12, 15, 18, 24 (hour)
	Type of protection	Protection against reverse polarity, Protection from battery over-discharge, Protection from battery over- charge, Short circuit protection
Certification	Warranty	1, 2, 3 (year)

Additional Specification Parameters - Light Baton (35 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Rechargeable safety Light Bar	(Red & green colour) Length 21 inch approx. Safety light bar is useful for traffic police, highway, emergency services, parking guide, during the night. Safety light Bar shall be electronically controlled.
Blinking Bars & Flash	It shall be blinking bars and flash light at the top. Its blinking bar shall have red and green coloured& fluroscnt cast vinyl film to emit a highly visible signal.
Battery	It shall be operatable by rechargeable Ni-Mh battery.
Light switch	It shall have two way switch for blinking red and green light and also provide switch for top flash light.

Specification Parameter Name	Bid Requirement (Allowed Values)
Body material	Poly carbonate Length of the bar-21 inch approx.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dibakar Barhoi	785699,Numaligarh Refinery Limited, Chief General Manager (Commercial) PO-NRP, Numaligarh Warehouse office 03776-265562	35	75

Convex Mirror (Road Safety) (20 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Mirror properties	Mirror Size	20 - 40 (inch)
Warranty/Services	Warranty	6, 12, 18, 24, 36 Or higher (month)

Additional Specification Parameters - Convex Mirror (Road Safety) (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Convex Mirror	40 inch -Usefull for T Point and blind turns shall be made up of polycarbonate reflective mirror - Apx. 130-200 degree of viewing angle for internal and external purpose.
Body material & necessary hardware	Body shall be made up of ABc plastic. - Shall be supplied complete with mounting hardware and pole for erection.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dibakar Barhoi	785699,Numaligarh Refinery Limited, Chief General Manager (Commercial) PO-NRP, Numaligarh Warehouse office 03776-265562	20	75

Caution / Crime Scene Tape (V2) (400 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General Properties	Tape type	Caution Tape, Crime Scene Tape
	Material of the Caution / Crime Scene Tape	Polyethylene, Polypropylene
	Printed Text/Sign	Do not enter, As per Buyer's requirement (to be indicated during bid creation)
	Tape Adhesive	Yes, No
	Reflective Text/Tape	Yes, No
Dimensions	Width (in inches)	?2 to ? 3 inches, >3 to ? 4 inches, >4 to ? 5 inches, >5 to ? 6 inches
	Thickness(in micron)	? 40 to ? 55 micron, > 55 to ? 70 micron, > 70 to ? 85 micron, > 85 to ? 100 micron, > 100 to ? 115 micron, > 115 to ? 130 micron, > 130 to ? 145 micron, > 145 to ? 160 micron, > 160 to ? 175 micron, > 175 to ? 200 micron
	Roll Length (in feet)	10 feet, 20 feet, 50 feet, 100 feet, 150 feet, 200 feet, 250 feet, 300 feet, 500 feet, 1000 feet, As per Buyer's requirement (to be indicated during bid creation)
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of the Specification	Yes, No
	Test reports to be furnished to buyer on demand	Yes, N.A

Additional Specification Parameters - Caution / Crime Scene Tape (V2) (400 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Barricading Tape (STOP)	Tubular Barricade Tape-Red Strips with White; "STOP" at every 10" Length on the White Strips in Red Colour on Both Sides of the Tube.
Unit of Measurement	Bidder to quote per roll, Each Roll shall be of 100 m.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dibakar Barhoi	785699,Numaligarh Refinery Limited, Chief General Manager (Commercial) PO-NRP, Numaligarh Warehouse office 03776-265562	400	75

Caution / Crime Scene Tape (V2) (400 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General Properties	Tape type	Caution Tape
	Material of the Caution / Crime Scene Tape	Polyethylene, Polypropylene
	Printed Text/Sign	Caution, As per Buyer's requirement (to be indicated during bid creation)
	Tape Adhesive	Yes, No
	Reflective Text/Tape	Yes, No
Dimensions	Width (in inches)	?2 to ? 3 inches, >3 to ? 4 inches, >4 to ? 5 inches, >5 to ? 6 inches
	Thickness(in micron)	? 40 to ? 55 micron, > 55 to ? 70 micron, > 70 to ? 85 micron, > 85 to ? 100 micron, > 100 to ? 115 micron, > 115 to ? 130 micron, > 130 to ? 145 micron, > 145 to ? 160 micron, > 160 to ? 175 micron, > 175 to ? 200 micron
	Roll Length (in feet)	10 feet, 20 feet, 50 feet, 100 feet, 150 feet, 200 feet, 250 feet, 300 feet, 500 feet, 1000 feet, As per Buyer's requirement (to be indicated during bid creation)
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of the Specification	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Test reports to be furnished to buyer on demand	Yes, N.A

Additional Specification Parameters - Caution / Crime Scene Tape (V2) (400 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Barricading Tape (Caution)	Tubular Barricade Tape-Red Strips with White; "CAUTION" at every 10" Length on the White Strips in Red Colour on both Sides of the Tube.
Unit of Measurement (UoM)	Bidder to quote per roll basis, Each Roll shall be of 100 m.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dibakar Barhoi	785699,Numaligarh Refinery Limited, Chief General Manager (Commercial) PO-NRP, Numaligarh Warehouse office 03776-265562	400	75

Extendable Road Barricade (V2) (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL ,DESIGN	Material	Mild Steel, Stainless Steel Or higher
	Side Structure of Pipe	Square, Round
	Wheels	Yes
	No of wheels	4
Generic	Handle provided for lifting	Yes
	Reflective safety strip	Reflective Tape
DIMENSION	Overall Height (in cm)	50-80, 81-100, 101-130, 131-150, 151-170
	Extendable Length (in mtr)	0-1, 1.1-2, 2.1-3, 3.1-4, 4.1-5, 5.1-6, 6.1-7, 7.1-8, 8.1-9, 9.1-10, 10.1-12

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Collapsible Length (in mtr)	0.5-1, 1.1-1.5, 1.6-2.0, 2.1-2.5, 2.6-3.0, 3.1-3.5, 3.6-4, 4-5
	Thickness of Movable strip (in mm)	3-4, 4.1-5, 5.1-6, 6.1-7
FINISH	Coating	Synthetic Enamel Paint
	Warranty (Years)	1, 2, 3, 4, 5 Or higher
Test Reports	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be submitted to the Buyer on Demand	Yes, No

Additional Specification Parameters - Extendable Road Barricade (V2) (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material, Side Structure of Pipe, No of wheels	Mild Steel, Square, 4 wheels
Handle provided for lifting, Reflective safety strip, Overall Height (in cm),	Yes, Reflective Tape, 100- 130 (Approx)
Extendable Length (in mtr), Collapsible Length (in Mtr) Thickness of Movable strip (in mm)	4.1-5 0.5-1 3-4(Minimum)
Coating	Synthetic Enamel Paint

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dibakar Barhoi	785699,Numaligarh Refinery Limited, Chief General Manager (Commercial) PO-NRP, Numaligarh Warehouse office 03776-265562	10	75

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidder must go through the attached ATC document containing Technical specifications and commercial annexures therewith.

2. Bidder shall provide duly filled, signed and sealed ATC document -Technical specifications and commercial annexures with Unpriced / techno-commercial offer.

3. Technical specifications given with ATC and additional specifications with GeM categories shall be final. Any amendment / changes / modification shall be intimated through corrigendum / addendum in this GeM Tender.

4. Items and Unit of Measurement (UoM) for Price quotation during Price bid

Item	UoM
Traffic Cone	Each
Sponsor Cone	Each
Road Barrier	Each
Light Baton	Each
Convex Mirror	Each
Barricading Tape (STOP)	Roll
Barricading Tape (CAUTION)	Roll
Extendable Road Barricade	Each

5. In case of Bid due date extension requirement, please mail at correspondence mail addresses given with ATC, prior to due date.

.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and

conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---