

Industrial / Commercial fuels

Paraffin Wax

Sulphur

Mineral Turpentine Oil

Raw Petroleum Coke

Calcined Petroleum Coke

Nitrogen

MTBE

Specialty products like the above are marketed directly by NRL, meeting specific requirement of Industrial customers.

Paraffin Wax

NRL has the distinction of being the largest single unit producer of Wax in the country. Quality of NRL Wax, which is hydro treated, is one of the best in the country as a result of which it has been able to capture around 50% market share. NRL Wax has been exported to more than 20 countries worldwide including Europe, Asia and the Americas.

Paraffin Wax is packed in 25 kg paper cartons which comprises of 5 slabs weighing 5 Kg each.

NRL Wax, Type -1 has been certified by BIS, a statutory body, Govt. of India as a food grade product, fit to be use for medicinal purpose, food packaging and cosmetics applications

Paraffin wax is sold Ex-MI basis from Numaligarh Marketing Terminal, Siliguri Marketing Terminal and from Guwahati Warehouse. It is also sold through chain of distributors.



Specification of Paraffin Wax

Paraffin Wax				
Sl No	Characteristics	Test Method, P : IS 1448	Type 1 Food grade	Type 2 FRPW
1	Melting Point(Cooling Curve) °C	Annex A	45-75	45-75
2	Ash Content, % Mass, Max	P:4	0.03	0.03
3	Acidity, mg of KOH/Gm, Max			
A	Organic	P:2	0.1	0.1
B	Inorganic	P:2	0.02	0.02
4	Saponification Value, Max	P:55	1	1
5	Oil Content, % Mass, Max	Annex B	0.5	0.5
6	Colour , Max			
A	Lovibond, 06- in Cell	P:33, Method A	1.0 Y	2.0 Y
B	ASTM	P:2	-	-
7	Acid Discolouration test	Annex C	To Pass the Test	-

Price

[Online Wax Sale-Wax-Price](#)

Contact us

Shri RMW Khongwir, DGM (Marketing)
NRL Marketing & BD Office,
NEDFi House, 4th Floor
Dispur -781006 Guwahati, Assam