

Ref:

Date:

Date : 16th April, 2018
Ref : NRL/CPIO/RTI/Q-1117

To,

Shri Dipu Kumar Das
Qtr. No. Bagashree, 28, NRL Township
P.O. – NR Complex
DIST. GOLAGHAT, ASSAM
Pin : 785699
Cont. No. 9435738719

Sub : Information under RTI Act, 2005.

Dear Sir,

This has reference to your application no. NRL/DKD/RTI/19 dated 07-12-2017 seeking information under RTI Act 2005. Please find below reply to the queries raised by you:

Q.No 1 Provide list of total annual running days of MSP and HCU of NRL since the year of its commissioning stage till date.

Reply : MSP cumulative on stream days up to Dec'17 since commissioning is 3854 days.
Total number of running days of HCU since 2014-15 to 2017-18 (Feb) is 1330 days.

Q.No 2 Provide plant trip records of MSP and HCU of NRL with date of tripping, cause of tripping since the year of its commissioning stage till date.

Reply : As per management document retention policy, following information is provided regarding MSP & HCU tripping in last three years.

	UNIT	Unplanned Shutdown		S/D from		Feed cut in		Total Idle Days
MONTH		Cause	Idle Days	Date	Time	Date	Time	
April'14	MSP	Partial Power failure	0	14.04.2014	1738	15.04.2014	0120	1
July'14	MSP	Total Power Failure	0	03.07.2014	0840	04.07.2014	1245	1
April'16	MSP	Partial power failure due to Earthquake	0	13.04.2016	19:20	14.04.2016	2:00	0
	MSP	Compressor 14-KA-01B trip due to low flow protection	0	21.04.2016	16:57	21.04.2016	19:45	0
August'16	MSP	Partial Power Failure	0	06.08.2016	19:17	7.08.2016	2:25	0

K. Saitia

Cont..2

পোস্ট: এন. আর. প্রজেক্ট, জিলা: গোলাঘাট, অসম, পিন-785699
P.O. : N.R. Project, District : Golaghat, Assam, PIN - 785699

Registered Office:

122 এ, জী এল রোড, ক্রিস্টিয়ানবাসী, গুয়াহাটী - 781005 (অসম), দূরমাণ: 0361-2203140/2203147, ফেক্স: 0361-2203146, ওয়েবসাইট: www.nrl.co.in
122A, G.S. Road, Christianbasti, Guwahati - 781005 (Assam), Phone: 0361-2203140/2203147, Fax: 0361-2203146, Website: www.nrl.co.in

Date : 16th April, 2018
Ref : NRL/CPIO/RTI/Q-1117

Page 2

UNIT- HCU

Sl No.	Date of tripping	Cause of tripping
1	16/11/2017,4-05 pm	Hydrogen Unit PSA trip.
2	13/10/2017,5-17pm	PA-2A Trip due to GHBS O/B high temp.
3	27/08/2017,11-30pm	H2U Tripped due to Partial Power failure
4	13/4/2017,4-53pm	Partial Power Failure. PA-2A/6B, KA-3A/B/C, PA-13B tripped
5	15/02/2017,9-33pm	PA-2A tripped due to MOP GB Problem
6	01/02/2017,12-50pm	RGC trip
7	30/01/2017,7-45am	PA-2A trip due to actuation of HUTT 401A interlock
8	09/09/2016,7-45am	Plan shutdown for SSD-2016
9	11/08/2016,4PM	Plan S/D due to H2U FD Fan vibration
10	06/08/2016	Partial Power failure, KA-3A/B tripped.
11	04/09/2015,11-45pm	Shut down taken due to HPDI 7601 LP tapping gasket rupture
12	02/07/2015,2-56pm	Hydrogen Unit trip
13	30/5/2015,8-15pm	Partial Power Failure. KA-3A/B, PA-3A/B, PA-4/8/9/10/11/12/14/15/16/17/18/21/22/23/40/41/42/46/47, EA-2B/D/F/H, EA-1D, KA-5 tripped.
14	21/5/2015,7-05am	Due to RGC Antisurge problem
15	11/5/2015,11-08am	Due to VV-04 PSV-8301B outlet i/v inlet flange gasket rupture and subsequent fire incident
16	29/03/2015,12-55pm	RTA -2015
17	09/02/2015,4-30pm	Hydrogen Unit PSA trip

Q.No 3 Provide certified copies of the departmental investigation committee reports of each tripping period of MSP and HCU of NRL since the year of commissioning stage till date.

Reply : -Investigation report due to compressor trip is not applicable as it happened on process safety interlocks provided for plant safety.
Certified copies for Power failure cases are same as for HCU.

Enquiry committee reports of following incidents are attached:

13/4/2017 --- Partial Power failure. PA-2A/6B, KA-3A/B/C, PA-13B tripped

06/08/2016---Partial power failure , KA-3A/B tripped

04/09/2015--- Shutdown taken due to HPDI 7601 LP tapping gasket rupture.

30/5/2015 ---Partial Power Failure

11/5/2015---Due to VV-4 PSV-8301B o/l i/v inlet flange gasket rupture and subsequent fire incident.

Investigation committee reports for other trips are not applicable as the plant tripped due to actuation of process safety interlocks provided for plant safety and Hydrogen unit trip.

Q.No 4 Provide name of officers present on duty during plant tripping period of MSP and HCU of NRL, their designation during tripping period and their current designation since commissioning stage till date.

Reply :

MON TH		Cause	Name of console officer with Desig at the period of tripping	Current Designation	Name of SIC with Designation at the period of tripping	Current Designation
April'14	MSP	Partial Power failure	A.Debroy, Officer(O)	Officer (Opn)	Anjan Kalita, DM(Opn)	M(Opn)

K. Sankar

Cont..3

Date : 16th April, 2018
Ref : NRL/CPIO/RTI/Q-1117

Page 3

July '14	MSP	Total Power Failure	A. Debroy, Officer(O)	Officer (Opn)	Juganta Senapoti, AM(Opn)	DM(Opn)
April '16	MSP	Partial power failure due to Earthquake	A. Debroy, Officer(O)	Officer (Opn)	Arpan Gogoi, DM(Opn)	DM(Opn)
	MSP	Compressor 14-KA-01B trip due to low flow protection	A. Debroy, Officer(O)	Officer (Opn)	Gaurav Joardar, DM(Opn)	DM(Opn)
August '16	MSP	Partial Power Failure	Kundan Baishya, Officer(O)	Officer (Opn)	Juganta Senapoti, DM(Opn)	DM(Opn)

UNIT- HCU

Sl No.	Date of tripping	Officers Present	Designation at the time of trip	Present Designation
1	16/11/2017, 4-05 pm	M.R. Das/J. Rabha/H. Mahanta	Asst. Mgr/Officer/GET	Asst. Mgr/Officer/GET
2	13/10/2017, 5-17pm	N Kumar/D Mahanta/ J Rabha/ A Karthik/ H Mahanta	Manager/Manager/Officer/GET/GET	Manager/Manager/Officer/GET/GET
3	27/08/2017, 11-30pm	N Kumar/ D Thakur/ R Niroula	Manager/Manager/Officer	Manager/Manager/Officer
4	13/4/2017, 4-53pm	N Kumar/ M R Das/ P P Bharali(D)	Dy Manager/ Asst Manager/ Asst Manager	Manager/Asst Manager/ Asst Manager
5	15/02/2017, 9-33pm	A K Das/ M R Das/ P P Bharali	Dy Manager/ Asst Manager/ Asst Manager	Sr. Manager/ Manager/Asst Manager
6	01/02/2017, 12-50pm	A K Das/ M P Das/ P P Bharali	Dy Manager/ Asst Manager/ Asst Manager	Sr. Manager/ Manager/Asst Manager
7	30/01/2017, 7-45am	A K Das/ D Bora/ J Rabha	Dy Manager/Dy Manager/ Officer	Sr. Manager/Manager/Officer
8	09/09/2016, 7-45am	RK Bora/M P Das/ D K Borah (8-8 shift)	Dy Manager/ Asst Manager/ Officer	Manager/ Manager/Officer
9	11/08/2016, 4 PM	D K Das/ N Kumar/ D Thakur	Dy Manager/Dy Manager/ Asst Manager	####/Manager/Manager
10	06/08/2016	D Thakur/ M R Das/ D K Borah	Asst. Mgr/ Asst Manager/ Officer	Manager/Asst Manager/Officer
11	04/09/2015, 11-45pm	A K Das(N)/ N Kumar/P P Bharali	Dy Manager/ Asst Manager/ Officer	Sr. Manager/ Manager/Asst Manager
12	02/07/2015, 2-56pm	A K Das/ M R Das/ J Rabha	Dy Manager/Officer/Officer	Sr. Manager/Asst Manager/Officer
13	30/5/2015, 8-15pm	A K Das(N)/ D Das/ N Kumar (N)	Dy Manager/Dy Manager/Asst Manager	Sr. Manager/ Sr Manager/Manager
14	21/5/2015, 7-05am	A K Das/ M P Das/J Rabha	Dy Manager/ Asst Manager/ Officer	Sr. Manager/ Manager/Officer
15	11/5/2015, 11-08am	R J Hazarika/ D Das/ P P Bharali	Manager/ Dy Manager/ Officer	C. Manager/ Sr Manager/ Asst Manager
16	29/03/2015, 12-55pm	R K Bora/ N J Saikia/ J Rabha/ N K Gogoi	Asst. Mgr/ Asst Manager/GET/ Officer	Manager/ Manager/Officer/ Officer
17	09/02/2015, 4-30pm	N J Saikia/ M P Das/ M R Das	Asst. Mgr/ Asst Manager/ Officer	Manager/ Manager/ Asst Manager

K. Santia


Cont..4

Q.No 5 Provide total amount of monetary loss, mentioning its various heads incurred by NRL, caused by each tripping of MSP and HCU of NRL, since commissioning stage till date.

Reply : No such monetary loss was estimated. However, production loss if any have been made up subsequently by running the plant at higher capacity.

Thanking you,

Yours faithfully,
for & on behalf of NRL



(Kajal Saikia)
Dy. General Manager (HRD)
And Public Information Officer, NRL

Encl: As above

ACTION HISTORY OF RTI REQUEST No.NRLTD/R/2018/80003**Applicant Name**

Aparnesh Prasad Mantri

Text of Application

1.How much amount all the PSUs under the ministry from the FY 2014-15 , 2015-16, 2016-17, 2017- 18 have spent under CSR activities 2.Give every detail of companies, organisations, unions, NGOs, social and religious bodies those received funds under CSR during the above mentioned years. 3.What were the profits/loss generated by all PSUs under the ministry during above mentioned years

Reply of Application

Attached.

SN.	Action Taken	Date of Action	Action Taken By	Remarks
1	RTI REQUEST RECEIVED	12/02/2018	Nodal Officer	MOPNG/R/2018/50072
2	REQUEST FORWARDED TO CPIO	12/02/2018	Nodal Officer	Forwarded to CPIO(s) : (1) Kajal Saikia
3	REQUEST DISPOSED OF	16/04/2018	Kajal Saikia- (CPIO)	

[Print](#)

Q-1157

Ref:

Ref : NRL/CPIO/RTI/Q-1172

Date: 17th April, 2018

To,

Shri R K S Roki

House No. 9, Sector - 1

Jhanshi Road, Chatarpur

Madhya Pradesh

Sub : Information under RTI Act, 2005.

Dear Sir,

This has reference to your application no. MOPNG/R/2018/50097/1 dated 17-02-2018 seeking information under RTI Act 2005. Please find below reply to the queries raised by you:

Q.No 2 यह है कि इन सभी पेट्रोलियम रिफाइनरियों में कितनी चिमनियाँ (जो Flame उत्सर्जित कर रही हैं) वर्तमान में 24 घण्टे 12 महीने कार्यरत हैं किस सूची की सत्यापित प्रतिलिपि उपलब्ध करायें।

Reply : Total numbers of stacks in NRL.

Unit	No of stacks	Remarks
CDU	1	Flue gas exit thro' one stack
VDU	1	
DCU	1	
MSP (NHT & CRU)	2	Flue gas exit thro' one stack
HCU(FF-01/02 & FF-03)	2	
HGU	1	
CPP (UB & HRSG)	2	
CCU	1	
SRU	1	
Total	12	

Q.No 3 यह है कि पेट्रोलियम रिफाइनरियों में लगी चिमनियों की ज्वाला (Flame) का तापमान कितना होता है 24 घण्टे 12 महीने कि जानकारी की सत्यापित उपलब्ध करायें।

Reply :

01-03-2017

01-03-2018

10 days Average data (From 01.03.17)

	CDU/VDU common stack	DCU	NHT/CRU common	HCU FF-01/02 common	HCU FF-03	HGU	SRU incinerator stack	UB	HRSG	CCU
Date/Time	Root.CDUVDU.P VICTI3311.PV	Root.DCU.PVI DTI1223.PV	Root.MSP.PVI PTI2231.PV	Root.HCU.PVI HTI4923.PV	Root.HCU.PVI HTI409.PV	Root.H2U.PVI GTI1302.PV	Root.SRU.PVI STI1702.PV	Root.CPP.PVI TI3332.PV	Root.CPP.PVI TI2336A.PV	Root.CCU.PVI KTI2116.PV
01-03-2017 07:00:00	169.94	167.59	269.64	246.11	164.17	171.26	207.70	64.47	142.63	204.12
11-03-2017 07:00:00	172.61	115.43	270.44	252.06	167.03	168.93	209.28	136.72	139.10	203.53
21-03-2017 07:00:00	172.69	201.16	271.63	250.31	166.22	172.47	209.94	137.16	116.71	204.40
31-03-2017 07:00:00	173.08	199.70	270.94	252.35	166.61	169.33	211.07	136.02	83.71	204.54
10-04-2017 07:00:00	172.90	201.39	271.89	244.80	168.68	167.29	220.54	137.50	80.63	206.70

K. Sarkar

Cont..2

पोस्ट: एन. आर. प्रोजेक्ट, जिला: गोलाघाट, असम, पिन-785699

P.O. : N.R. Project, District : Golaghat, Assam, PIN - 785699

Registered Office:

122 ए, जी एस रोड, क्रिश्चनबस्ती, गुवाहाटी - 781005 (असम), दूरभाष: 0361-2203140/2203147, फेक्स: 0361-2203146, वेबसाइट: www.nrl.co.in
122A, G.S. Road, Christianbasti, Guwahati - 781005 (Assam), Phone: 0361-2203140/2203147, Fax: 0361-2203146, Website: www.nrl.co.in


Date : 17th April, 2018
Ref : NRL/CPIO/RTI/Q-1172

Page 2

20-04-2017 07:00:00	175.46	204.90	272.27	246.91	169.75	170.20	215.79	136.93	79.65	205.83
30-04-2017 07:00:00	175.15	204.88	272.26	248.18	171.38	171.00	215.82	138.21	79.90	207.18
10-05-2017 07:00:00	176.10	204.41	271.74	249.46	170.41	168.65	216.35	136.27	104.50	206.48
20-05-2017 07:00:00	171.95	200.94	271.67	247.97	172.38	169.27	219.09	137.24	97.46	124.18
30-05-2017 07:00:00	176.31	197.76	272.55	250.30	165.45	169.42	214.90	136.62	129.58	29.01
09-06-2017 07:00:00	174.52	87.69	272.79	255.54	168.27	169.59	215.24	137.80	103.39	29.12
19-06-2017 07:00:00	174.37	206.68	272.62	253.21	167.43	170.79	221.10	138.28	125.91	29.53
29-06-2017 07:00:00	168.66	207.95	272.42	254.36	168.35	170.68	217.58	137.46	126.43	48.82
09-07-2017 07:00:00	171.95	209.40	272.99	255.70	168.35	169.90	210.54	139.37	88.68	189.02
19-07-2017 07:00:00	159.37	208.95	272.41	254.08	167.43	172.20	215.66	136.97	63.77	188.32
29-07-2017 07:00:00	153.87	205.44	272.97	255.50	171.75	171.87	221.43	136.17	64.84	186.29
08-08-2017 07:00:00	154.83	143.17	272.64	255.11	168.37	171.34	219.98	139.52	31.34	184.54
18-08-2017 07:00:00	155.50	141.15	272.80	254.54	166.39	167.85	204.89	137.62	51.53	185.45
28-08-2017 07:00:00	159.00	207.02	273.04	246.27	167.53	160.13	210.10	138.40	113.11	181.09
07-09-2017 07:00:00	161.36	207.61	274.05	257.66	167.31	172.04	218.47	140.12	123.88	181.69
17-09-2017 07:00:00	157.90	203.78	274.18	258.55	166.59	171.78	218.42	139.64	123.95	182.13
27-09-2017 07:00:00	157.68	201.17	274.38	255.96	162.62	171.55	223.53	139.14	107.98	180.86
07-10-2017 07:00:00	159.88	194.90	274.30	253.48	165.16	169.63	217.49			
17-10-2017 07:00:00	159.10	130.05	275.59	260.64	163.37	169.78	201.43		99.43	182.32
27-10-2017 07:00:00	159.70	209.37	275.20	261.56	159.98	169.54	212.15		100.86	179.71
06-11-2017 07:00:00	161.01	203.15	273.65	260.97	159.19	170.10	212.97	92.41	107.65	181.27
16-11-2017 07:00:00	162.81	205.00	271.56	259.55	160.22	168.07	204.18	131.27	136.65	180.27
26-11-2017 07:00:00	162.43	209.72	271.59	263.61	158.23	168.85	208.70	130.26	139.17	178.69
06-12-2017 07:00:00	167.46	207.31	272.12	266.10	158.25	168.89	204.20	129.82	137.91	180.10
16-12-2017 07:00:00	170.30	209.19	274.14	267.58	155.92	168.68	203.55	129.72	141.11	178.40
26-12-2017 07:00:00	171.54	208.69	274.12	268.25	155.19	165.47	194.73	129.21	85.85	178.41
05-01-2018 07:00:00	172.15	203.83	273.39	267.82	155.05	165.75	191.79	125.06	116.94	177.24
15-01-2018 07:00:00	172.30	203.52	271.79	267.60	155.99	167.91	191.56	129.00	135.04	180.60
25-01-2018 07:00:00	169.89	195.89	272.58	271.08	155.35	167.12	192.69	132.40	140.98	178.80
04-02-2018 07:00:00	165.92	87.45	271.06	221.46	132.39	129.05	178.03	134.00	136.55	177.03
14-02-2018 07:00:00	164.24	200.99	268.46	254.29	146.20	164.15	183.22	131.59	115.44	178.04

Thanking you,

Yours faithfully,
for & on behalf of NRL



(Kajal Saikia)

Dy. General Manager (HRD)
And Public Information Officer, NRL

CC: Shri Pawan Kumar
Under Secretary to the Govt. of India & CPIO
Ministry of Petroleum & Natural Gas
Shastri Bhawan, New Delhi-110001

Ref: Ref : NRL/CPIO/RTI/Q-1181

Date: 4th May, 2018

To,

Shri R. K. S. Rocky (Advocate)
Office House No. 9, Sector - 1
Peptech Town, Nowgong, Jhanshi Road
Chatarpur
PIN- 471001
Madhya Pradesh

Sub : Information under RTI Act, 2005.

Dear Sir,

This has reference to your application no. nil dated 10-04-2018 seeking information under RTI Act 2005. Please find below reply to the queries raised by you:

Q.No 1 यह है कि आपकी सभी प्रकार की पेट्रोलियम रिफाइनरियों में कितनी चिमनियाँ (जो फ्लेम उत्सर्जित कर रही हैं) हैं जो 24 घंटे 12 महीने कार्यरत हैं। उनकी सूची की सत्यापित प्रतिलिपियाँ उपलब्ध कराये।

Reply : Total numbers of stacks in NRL.

Unit	No of stacks	Remarks
CDU	1	Flue gas exit thro' one stack
VDU	1	
DCU	1	
MSP (NHT & CRU)	2	Flue gas exit thro' one stack
HCU(FF-01/02 & FF-03)	2	
HGU	1	
CPP (UB & HRSG)	2	
CCU	1	
SRU	1	
Total	12	

Q.No 2 यह है कि आपकी सभी प्रकार की पेट्रोलियम रिफाइनरियों में जो चिमनियाँ 24 घण्टे 12 महीने कार्यरत हैं उन चिमनियाँ से निकलने वाली ज्वाला (Flame) का तापमान लगातार कितना रहता है उसकी सत्यापित प्रतिलिपि उपलब्ध कराये।

Reply :

01-03-2017
01-03-2018

10 days Average data (From 01.03.17)

	CDU/VDU common stack	DCU	NHT/CRU common	HCU FF-01/02 common	HCU FF-03	HGU	SRU Incinerator stack	UB	HRSG	CCU
Date/Time	Root.CDU/VDU.P VLCT13311.PV	Root.DCU.PV1 DT11223.PV	Root.MSP.PV1 PT12231.PV	Root.HCU.PV1 HT14923.PV	Root.HCU.PV1.HT H405.PV	Root.HGU.PV1 GT11302.PV	Root.SRU.PV1.5T1 1702.PV	Root.CPP.PV1.B T13332.PV	Root.CPP.PV1.B T12336A.PV	Root.CCU.PV1.KT1 2116.PV
01-03-2017 07:00:00	169.94	167.59	269.64	246.11	164.17	171.26	207.70	64.47	142.63	204.12
11-03-2017 07:00:00	172.61	115.43	270.44	252.06	167.83	168.93	209.28	136.72	139.10	203.53
21-03-2017 07:00:00	172.69	201.16	271.63	250.31	166.22	172.47	209.94	137.16	116.71	204.40
31-03-2017 07:00:00	173.08	199.70	270.94	252.35	166.61	169.33	211.07	136.02	83.71	204.54
10-04-2017 07:00:00	172.90	201.39	271.89	244.80	168.68	167.29	220.64	137.50	80.63	206.70

K. Sankar

Cont..2

पोस्ट: एन. आर. प्रोजेक्ट, जिला: गोलाघाट, असम, पिन-785699
P.O. : N.R. Project, District : Golaghat, Assam, PIN - 785699

Registered Office:

122 ए. जी एस रोड, क्रिश्चनबास्ती, गुवाहाटी - 781005 (असम), दूरभाष: 0361-2203140/2203147, फैक्स: 0361-2203146, वेबसाइट: www.nrl.co.in
122A, G.S. Road, Christianbasti, Guwahati - 781005 (Assam), Phone: 0361-2203140/2203147, Fax: 0361-2203146, Website: www.nrl.co.in

Date : 4th May, 2018
Ref : NRL/CPIO/RTI/Q-1181

Page 2

20-04-2017 07:00:00	175.46	204.90	272.27	246.91	169.75	170.20	215.79	136.93	79.65	205.83
30-04-2017 07:00:00	175.16	204.88	272.26	248.18	171.38	171.00	215.82	138.21	79.90	207.19
10-05-2017 07:00:00	176.10	204.41	271.74	249.46	170.41	168.65	216.35	136.27	104.50	206.48
20-05-2017 07:00:00	171.95	200.94	271.67	247.97	172.38	169.27	219.09	137.24	97.40	124.18
30-05-2017 07:00:00	176.31	197.76	272.55	250.30	165.45	169.42	214.90	136.62	129.58	29.01
09-06-2017 07:00:00	174.52	87.69	272.79	255.54	168.27	169.59	215.24	137.80	103.39	29.12
19-06-2017 07:00:00	174.37	206.68	272.62	253.23	167.43	170.79	221.10	138.28	125.91	29.53
29-06-2017 07:00:00	168.66	207.95	272.42	254.36	168.35	170.68	217.58	137.46	126.43	48.82
09-07-2017 07:00:00	171.95	209.40	272.99	255.70	168.35	169.90	210.54	139.37	88.68	189.02
19-07-2017 07:00:00	159.37	208.95	272.41	254.08	167.43	172.20	215.66	136.97	63.77	188.32
29-07-2017 07:00:00	153.87	205.44	272.97	255.50	171.75	171.87	221.43	136.17	64.84	186.29
08-08-2017 07:00:00	154.83	143.17	272.64	255.11	168.37	171.34	219.98	139.52	31.34	184.54
18-08-2017 07:00:00	155.50	141.15	272.80	254.54	166.39	167.85	204.89	137.62	51.33	185.45
28-08-2017 07:00:00	159.00	207.02	273.04	246.27	167.53	160.13	210.10	138.40	113.11	181.09
07-09-2017 07:00:00	161.36	207.61	274.05	257.66	167.31	172.04	218.47	140.12	123.88	181.69
17-09-2017 07:00:00	157.90	203.78	274.18	258.55	166.59	171.78	218.42	139.64	123.95	182.13
27-09-2017 07:00:00	157.68	201.17	274.38	255.96	162.62	171.55	223.53	139.14	107.98	180.86
07-10-2017 07:00:00	159.88	194.90	274.30	253.48	165.16	169.63	217.49		99.43	182.32
17-10-2017 07:00:00	159.10	130.05	275.59	260.84	163.37	169.78	201.43		100.86	179.71
27-10-2017 07:00:00	159.70	209.37	275.20	261.56	159.98	169.54	212.15		103.66	181.93
06-11-2017 07:00:00	161.01	201.15	273.65	260.97	159.19	170.10	212.97	92.41	107.65	181.27
16-11-2017 07:00:00	162.81	205.00	271.56	259.55	160.22	168.07	204.18	131.27	136.65	180.27
26-11-2017 07:00:00	162.43	209.72	271.59	263.61	158.23	168.85	208.70	130.26	139.17	178.69
06-12-2017 07:00:00	167.46	207.31	272.12	266.10	158.25	168.89	204.20	129.82	137.91	180.10
16-12-2017 07:00:00	170.30	209.19	274.14	267.58	155.92	168.68	203.55	129.72	141.11	178.40
26-12-2017 07:00:00	171.54	208.69	274.12	268.25	155.19	165.47	194.73	129.21	85.85	178.41
05-01-2018 07:00:00	172.15	203.83	273.39	267.82	155.05	165.75	191.79	125.06	116.94	177.24
15-01-2018 07:00:00	172.30	203.52	271.79	267.60	155.99	167.91	191.56	129.00	135.04	180.60
25-01-2018 07:00:00	169.89	195.89	272.58	271.08	155.35	167.12	192.89	132.40	140.98	178.80
04-02-2018 07:00:00	165.92	87.45	271.06	221.46	132.39	129.05	178.03	134.00	136.55	177.03
14-02-2018 07:00:00	164.24	200.99	268.46	254.29	146.20	164.15	183.22	131.59	115.44	178.04

Q.No 3 यह है कि आपकी सभी प्रकार की पेट्रोलियम रिफाइनरियों में जो चिमनियाँ 24 घंटे 12 महीने कार्यरत हैं उन चिमनियों से कितने घन क्यूबिक मीटर ज्वाला (Flame) उत्सर्जित किया जा रहा है उसकी सत्यापित प्रतिलिपि उपलब्ध करायें।

Reply : Not applicable.

Thanking you,

Yours faithfully,
for & on behalf of NRL

K Saikia

(Kajal Saikia)
Dy. General Manager (HRD)
And Public Information Officer, NRL

ACTION HISTORY OF RTI REQUEST No.NRLTD/R/2018/50013**Applicant Name**

Dharmendra Gupta

Text of Application

Sub. : Required information about what is roll of chamber ring in petroleum road tanker manufactured as per specifications under (IS 13187:19910) Dear Sir, With the reference of above subject i have required information about, What is the roll of chamber ring which is mounted on/surrounding on delivery lines of inside the each compartments of petroleum road tanker. (For your ready reference I am also attaching here with a photographs of inside of compartment of above tanker) Please provide scientifically information / literature related to this. Please provide me details. I will be very- very grateful for you. Thanks Dharmendra Gupta 94141-88877

Reply of Application

attached

SN.	Action Taken	Date of Action	Action Taken By	Remarks
1	RTI REQUEST RECEIVED	30/04/2018	Nodal Officer	
2	REQUEST FORWARDED TO CPIO	30/04/2018	Nodal Officer	Forwarded to CPIO(s) : (1) Kajal Saikia
3	REQUEST DISPOSED OF	04/05/2018	Kajal Saikia- (CPIO)	

[Print](#)

Q-1182